



# Paker MB | C 21 – 12 000

## A WIDE RANGE


of packaging applications




x2




x4




x6




x8




Eco




x4 in 2 by 2




x8 in 4 by 4



x12 in 6 by 6



x16 in 8 by 8



Double layer eco



Plastic

## DESCRIPTION

Wrapping machine for packs of thermoformed pots (Form-Fill and Seal) using a flat-pack cardboard wrap. The cardboard wrap is sealed by gluing the underside of the pack.

Ensures great flexibility for all potential configurations. The Paker solution also ensures great upgradeability over time, allowing new products and formats to be packaged as well.

All of the settings and control functions can be accessed directly on the control panel. Entirely controlled by servo motors (not a chain drive). The ergonomics of Paker machines have been specially designed to ensure ease of use for maintenance operations.

## OUR CUSTOMERS




# Paker MB | C 21 – 12 000

## TECHNICAL DESCRIPTION

Continuous wrapping machine for packs of FFS (thermoformed) pots, 12,000 packs/h (200 packs/min).

Pack glued underneath using a flat-pack carton wrap.

Products in 1 or 2 layers of 1 line.



## MACHINE SPECIFICATION

Capacity (packs/min)	150 - 200
Dimensions (L x W x H)	7000 x 1300 x 2100
Structure	Frame made from stainless steel, ergonomic workstation
Change of format	< 15 min   or automatic
Drive system:	Servo gears: SEW
PLC	SCHNEIDER   SIEMENS   ROCKWELL AUTOMATION
Electrical power supply	400 volts, 50Hz, or in accordance with specifications
Pneumatic power supply	Pressure: 5 bars – Consumption: 350 NI/min
Sealing system	<b>Glued underneath - hot melt</b>
Cardboard storage	1.5 m   30 mins
Options	<ul style="list-style-type: none"><li>– Cardboard storage 3m</li><li>– Servo gears: BOSCH REXROTH</li><li>– 1 line</li><li>– Bar code control</li><li>– Ink jet marking</li></ul>

## BENEFITS

- High quality packaging
- Flexibility in terms of format and able to change quickly between production types
- Upgradeable for future formats
- Optimised access for production and maintenance teams
- Reduced maintenance costs
- Compact equipment