Paker MD | C 12 – 12 000

A WIDE RANGE

of packaging applications



2x3 pack fully enclosed




panel



2x3 + Ad panel



2x3 Cluster pack wraps





DESCRIPTION

Multipack machine for grouping bottles using a flat-pack cardboard sleeve, closed by gluing underneath.

This ensures great flexibility for everyday formats, regardless of the dimensions of the products being grouped together or the type of packaging being used (cluster pack wraps, neck-through wraps, gussets etc.). The Paker solution also ensures great upgradeability over time, allowing new products and formats to be packaged as well.

All of the settings and control functions can be accessed directly on the control panel. Entirely controlled by servo motors (not a chain drive). The ergonomics of Paker machines have been specially designed to ensure ease of use for maintenance operations.

OUR CUSTOMERS

HEINEKEN	CHIMAY	ÅBRO	AUJAN INDUSTRIES CO	Lindemans	SPENDRUPS	RED DOT
HOLSTEN	Statu OLLETERAS 1820 SEALUR	Phoenic Bev Thirst for the best. First for you.	BRASSERIE D'ACHOUFFE	BRASSERIE DE TAHITI	Salzburger	
t≡ Loïc Raison	Valce Rance	Cidrerie du val de Vire	Kerisac Gide dyu 130	Cidrerie du Calvados		
CASTEL	GC	HALEWOOD Wines & Spirits	маламатіна	BOUTARI		
CALEDONIAN BOTTLERS	Slaur ardet	VOSS	BROTHERS	INDEPENDENT Liquor		MUHAK
CYCOTYC	ອັງລາຍ ອັງລາໄລໄປເປັນປະຊຸມລາຍ Global Beverage Company					

www.paker.com

E-mail : paker@paker.fr


PAKERGROUP

Paker MD | C 12 – 12 000

TECHNICAL DESCRIPTION

Continuous wrapping machine for bottles, 12,000 packs/h (200 packs/min).

Glued underneath using a flat-pack carton wrap.



MACHINE SPECIFICATION				
Capacity (packs/min)	150 - 200			
Dimensions (L x W x H)	10,000 x 1300 x 2100			
Structure	Frame made from stainless steel, ergonomic workstation			
Change of format	< 15 min or automatic			
Drive system:	Servo gears: SEW			
PLC	SCHNEIDER SIEMENS ROCKWELL AUTOMATION			
Electrical power supply	400 volts, 50Hz, or in accordance with specifications			
Pneumatic power supply	Pressure: 5 bars – Consumption: 350 NI/min			
Sealing system	Glued underneath - hot melt			
Cardboard storage	2.5 m Autonomy 30 mins			
Options	 Snap-pack Large capacity for cardboard storage Servo gears: BOSCH REXROTH Neck-through wraps 			

BENEFITS

п

- High quality packaging
- Flexibility in terms of format and able to change quickly between production types
- Upgradeable for future formats п
- Optimised access for production and maintenance teams
- Reduced maintenance costs
 - Compact equipment

PAKERGROUP

E-mail : paker@paker.fr

www.paker.com