



Paker MT(B) | S 11 – 1 800

A WIDE RANGE


of packaging applications




Sleeve over container




Sleeve with cut-out over container




Sleeve partially over container




Sleeve over pair of containers



Sleeve over tray with multiple compartments



Sleeve with additional base



Sleeve partially over bowl



Plastic

DESCRIPTION

Machine for wrapping individual containers using a flat-pack cardboard wrap, sealed by gluing on the top (or underneath, depending on the application).

Machine for different products and different configurations, able to change format quickly (less than 5 minutes or automatically). Our machines are made entirely of stainless steel and ergonomics is one of our priorities.

All of the settings and control functions can be accessed directly on the control panel. Entirely controlled by servo motors (not a chain drive). Reduced maintenance.

OUR CUSTOMERS


Paker MT(B) | S 11 – 1 800

TECHNICAL DESCRIPTION

Sequential wrapping machine for containers and pots, 1,800 packs/h (30 packs/min)

Glued on top using a flat-pack carton wrap. It is also possible to seal by gluing underneath, and this may be preferable depending on the type of packaging being used.

Products in 1 layer over 1 line, with the option to package in pairs (see packaging applications overleaf).



MACHINE SPECIFICATION

Capacity (packs/min)	20 - 30
Dimensions (L x W x H)	3000 x 1300 x 2100
Structure	Frame made from stainless steel, ergonomic workstation
Change of format	< 15 min or automatic
Drive system:	Servo gears: SEW
PLC	SCHNEIDER SIEMENS ROCKWELL AUTOMATION
Electrical power supply	400 volts, 50Hz, or in accordance with specifications
Pneumatic power supply	Pressure: 5 bars – Consumption: 350 NI/min
Sealing system	Glued on top or underneath hot melt
Cardboard storage	0.6 m
Options	– Gluing underneath – Servo gears: BOSCH REXROTH

BENEFITS

- High quality packaging
- Flexibility in terms of format and able to change quickly between production types
- Upgradeable for future formats
- Optimised access for production and maintenance teams
- Reduced maintenance costs
- Compact equipment